



















Schlauch Tuyau		Dimension								
<b>Pressmasstabelle für Uniflex HM200<sub>e</sub></b> <b>Table de sertissage pour SM38e</b>			<b>Pressarmatur Typ:</b> <b>Raccord à sertir type:</b> <b>G/GA/GB/GC/GE/GF/GH/GX/GS/GSP</b>				<b>Satz Nr.</b> <b>Jeu nr.</b>	9/12/14/17/20/D21/D22/24/2 8/32/40/44/50		
<b>MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier</b>										
1SC	1/4" - DN6	<b>04M3K</b>	210bar-11l/min	<b>04G..</b>	17.55	<->	18.05	<b>D21</b>	<b>1.00</b>	
					<b>04GA..</b>	15.30	<->	15.50	<b>14</b>	<b>1.40</b>
>1SC		<b>04M4K</b>	280bar-11l/min	<b>04G..</b>	17.90	<->	18.40	<b>D21</b>	<b>1.35</b>	
					<b>04GA..</b>	16.90	<->	17.10	<b>17</b>	<b>0.00</b>
2SC		<b>04M5K</b>	350bar-11l/min	<b>04G..</b>	17.90	<->	18.40	<b>D21</b>	<b>1.35</b>	
					<b>04GA..</b>	16.90	<->	17.10	<b>17</b>	<b>0.00</b>
>2SC		<b>04M6K</b>	420bar-11l/min	<b>04G..</b>	18.55	<->	19.05	<b>D21</b>	<b>2.00</b>	
				<b>04GE..</b>	16.90	<->	17.10	<b>17</b>	<b>0.00</b>	
				<b>04GI..</b>	17.50	<->	17.70	<b>17</b>	<b>0.60</b>	
				<b>04GX..</b>	17.30	<->	17.50	<b>17</b>	<b>0.40</b>	
1SC		5/16" - DN8	<b>05M3K /-MTF</b>	210bar-18l/min	<b>05G..</b>	19.80	<->	20.30	<b>D22</b>	<b>0.25</b>
						<b>05GA..</b>	18.60	<->	18.80	<b>17</b>
>1SC	<b>05M4K</b>		280bar-18l/min	<b>05G..</b>	19.95	<->	20.45	<b>D22</b>	<b>0.40</b>	
					<b>05GA..</b>	18.20	<->	18.40	<b>17</b>	<b>1.30</b>
2SC	<b>05M5K</b>		350bar-18l/min	<b>05G..</b>	19.95	<->	20.45	<b>D22</b>	<b>0.40</b>	
					<b>05GA..</b>	18.60	<->	18.80	<b>17</b>	<b>1.70</b>
			<b>05GX..</b>	17.70	<->	17.90	<b>17</b>	<b>0.80</b>		
>1SC	3/8" - DN10	<b>06M3K</b>	210bar-27l/min	<b>06G..</b>	20.30	<->	20.80	<b>D22</b>	<b>0.75</b>	
					<b>06GA..</b>	20.30	<->	20.50	<b>20</b>	<b>0.40</b>
R2-AT/C		<b>06M4K</b>	280bar-27l/min	<b>06G..</b>	21.60	<->	22.10	<b>D22</b>	<b>2.05</b>	
					<b>06GA..</b>	20.40	<->	20.60	<b>20</b>	<b>0.50</b>
>2SC	<b>06M5K</b>	350bar-27l/min	<b>06G..</b>	21.55	<->	22.05	<b>D22</b>	<b>2.00</b>		
				<b>06GA..</b>	20.50	<->	20.70	<b>20</b>	<b>0.60</b>	
			<b>06GX..</b>	21.70	<->	21.90	<b>20</b>	<b>1.80</b>		
>1SC	1/2" - DN12	<b>08M3K /-MTF</b>	210bar-46l/min	<b>08G..</b>	25.15	<->	25.65	<b>24</b>	<b>1.40</b>	
					<b>08GA..</b>	24.40	<->	24.60	<b>24</b>	<b>0.50</b>
>2SC		<b>08M4K /-MTF</b>	280bar-46l/min	<b>08G..</b>	25.80	<->	26.30	<b>24</b>	<b>2.05</b>	
					<b>08GA..</b>	24.70	<->	24.90	<b>24</b>	<b>0.80</b>
			<b>08M5K</b>	350bar-46l/min	<b>08GX..</b>	24.90	<->	25.10	<b>24</b>	<b>1.00</b>
					<b>08G..</b>	26.15	<->	26.65	<b>24</b>	<b>2.40</b>
			<b>08GA..</b>	26.00	<->	26.20	<b>24</b>	<b>2.10</b>		
1SN	5/8" - DN16	<b>10G1</b>	130bar-55l/min	<b>10G..</b>	28.55	<->	29.05	<b>28</b>	<b>0.80</b>	
					<b>10GA..</b>	27.90	<->	28.10	<b>28</b>	<b>0.00</b>
>1SC		<b>10M3K</b>	210bar-70l/min	<b>10G..</b>	29.45	<->	29.95	<b>28</b>	<b>1.70</b>	
					<b>10GA..</b>	29.80	<->	30.00	<b>28</b>	<b>1.90</b>
>2SC		<b>10M4K /-MTF</b>	280bar-70l/min	<b>10G..</b>	29.10	<->	29.60	<b>28</b>	<b>1.35</b>	
					<b>10GA..</b>	30.10	<->	30.30	<b>28</b>	<b>2.20</b>
			<b>10GX..</b>	28.60	<->	28.80	<b>28</b>	<b>0.70</b>		
1SN	3/4" - DN20	<b>12G1</b>	105bar-80l/min	<b>12G..</b>	34.05	<->	34.55	<b>32</b>	<b>2.30</b>	
					<b>12G..</b>	35.15	<->	35.65	<b>32</b>	<b>3.40</b>
2SC		<b>12M3K</b>	210bar-100l/min	<b>12GA..</b>	34.00	<->	34.20	<b>32</b>	<b>2.10</b>	
					<b>12G..</b>	35.20	<->	35.70	<b>32</b>	<b>3.45</b>
>2SC		<b>12M4K</b>	280bar-100l/min	<b>12GA..</b>	34.10	<->	34.30	<b>32</b>	<b>2.20</b>	
					<b>12GX..</b>	32.60	<->	32.80	<b>32</b>	<b>0.70</b>
1SN	1" - DN25	<b>16G1</b>	88bar-150l/min	<b>16G..</b>	44.45	<->	44.95	<b>44</b>	<b>0.70</b>	
					<b>16G..</b>	45.45	<->	45.95	<b>44</b>	<b>1.70</b>
>2SC		<b>16M3K /-MTF</b>	210bar-160l/min	<b>16GA..</b>	41.30	<->	41.50	<b>32</b>	<b>9.40</b>	
					<b>16GX..</b>	42.00	<->	42.20	<b>32</b>	<b>10.10</b>
1SN	1-1/4" - DN32	<b>20G1</b>	63bar-250l/min	<b>20G..</b>	51.85	<->	52.35	<b>50</b>	<b>2.10</b>	
					<b>20GA..</b>	49.30	<->	49.50	<b>44</b>	<b>5.40</b>
2SN	1-1/4" - DN32	<b>20G2</b>	125bar-260l/min	<b>20G..</b>	53.75	<->	54.25	<b>50</b>	<b>4.00</b>	
					<b>20GA..</b>	49.70	<->	49.90	<b>44</b>	<b>5.80</b>
1SN	1-1/2" - DN40	<b>24G1</b>	50bar-330l/min	<b>24GSP1F-2</b>	58.15	<->	58.65	<b>50</b>	<b>8.40</b>	
					<b>24GA..</b>	55.60	<->	55.80	<b>50</b>	<b>5.70</b>
2SN	1-1/2" - DN40	<b>24G2</b>	90bar-360l/min	<b>24GSP1F-2</b>	59.80	<->	60.30	<b>50</b>	<b>10.05</b>	
					<b>24GA..</b>	57.20	<->	57.40	<b>50</b>	<b>7.30</b>

Pressmasstabelle für Uniflex HM200 <sub>e</sub> Table de sertissage pour SM38e				Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP				Satz Nr. Jeu nr.	9/12/14/17/20/D21/D22/24/2 8/32/40/44/50	
Schlauch Tuyau	Dimension									
<b>Megasprial - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15</b>										
R15	3/8" - DN10	<b>06EFG6K /-MTF</b>	420bar-27l/min	<b>06GS1F</b>	24.65	<->	25.15	<b>24</b>	<b>0.90</b>	
R12	1/2" - DN12	<b>08EFG4K</b>	280bar-46l/min	<b>08GS1F</b>	27.20	<->	27.70	<b>24</b>	<b>3.45</b>	
R13		<b>08EFG5K</b>	350bar-46l/min							
4SP/R15		<b>08EFG6K /-MTF</b>	420bar-46l/min							
R12	5/8" - DN16	<b>10EFG4K</b>	280bar-70l/min	<b>10GS1F</b>	33.30	<->	33.80	<b>32</b>	<b>1.55</b>	
4SP/R13		<b>10EFG5K</b>	350bar-70l/min							
R15		<b>10EFG6K /-MTF</b>	420bar-70l/min							
R12	3/4" - DN20	<b>12EFG4K</b>	280bar-100l/min	<b>12GS1F</b>	37.35	<->	37.85	<b>32</b>	<b>5.60</b>	
4SP/R13		<b>12EFG5K</b>	350bar-100l/min							
4SH/R15		<b>12EFG6K /-MTF</b>	420bar-100l/min							
4SP/R12	1" - DN25	<b>16EFG4K</b>	280bar-180l/min	<b>16GS1F</b>	44.20	<->	44.70	<b>44</b>	<b>0.45</b>	
R13		<b>16EFG5K</b>	350bar-180l/min							
>4SH/R15		<b>16EFG6K /-MTF</b>	420bar-180l/min							
4SP/R12	1-1/4" - DN32	<b>20EFG3K</b>	210bar-290l/min	<b>20GS1F-4</b>	52.05	<->	52.55	<b>50</b>	<b>2.30</b>	
4SP/R12		<b>20EFG4K</b>	280bar-290l/min							
4SH/R13		<b>20EFG5K</b>	350bar-290l/min							
R15		<b>20EFG6K /-MTF</b>	420bar-290l/min	<b>20GS1F-6</b>	56.40	<->	56.90	<b>50</b>	<b>6.65</b>	
<b>Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau</b>										
HW	5/16" - DN8	<b>05HW-EF365</b>	250bar-18l/min	<b>05GF..</b>	18.30	<->	18.50	<b>17</b>	<b>1.40</b>	
"easyfarm	3/8" - DN10	<b>06HW-EF365</b>	275bar-27l/min	<b>06GF..</b>	19.90	<->	20.10	<b>20</b>	<b>0.00</b>	
365+"	1/2" - DN12	<b>08HW-EF365</b>	180bar-46l/min	<b>08GA..</b>	22.90	<->	23.10	<b>20</b>	<b>3.00</b>	
<b>GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau</b>										
Wasser eau	1/4" - DN6	<b>04CM4000..</b>	280bar-11l/min	<b>04G..</b>	17.80	<->	18.00	<b>17</b>	<b>0.90</b>	
				<b>04GA..</b>	16.20	<->	16.40	<b>14</b>	<b>1.30</b>	
	1/4" - DN6	<b>04CM6000..</b>	400bar-11l/min	<b>04G..</b>	18.70	<->	18.90	<b>17</b>	<b>1.80</b>	
				<b>05G..</b>	20.40	<->	20.60	<b>20</b>	<b>0.50</b>	
	5/16" - DN8	<b>05CM6000..</b>	420bar-18l/min	<b>05GA..</b>	18.90	<->	19.10	<b>17</b>	<b>2.00</b>	
				<b>06G..</b>	22.50	<->	22.70	<b>20</b>	<b>2.60</b>	
3/8" - DN10	<b>06CM6000..</b>	420bar-27l/min	<b>06GA..</b>	20.90	<->	21.10	<b>20</b>	<b>1.00</b>		
			<b>08G..</b>	25.00	<->	25.20	<b>20</b>	<b>5.10</b>		
1/2" - DN12	<b>08CM3000..</b>	210bar-46l/min	<b>08GA..</b>	23.70	<->	23.90	<b>20</b>	<b>3.80</b>		
<b>Kunststoff-Hochdruckschläuche N =&gt; Nylon / Tuyau haute pression en plastique 1-tresse Nylon</b>										
R7-N	3/16" - DN5	<b>TFR7N03 - 0661</b>	212bar-5l/min	<b>03GC..</b>	10.80	<->	11.00	<b>9</b>	<b>1.90</b>	
	1/4" - DN6	<b>TFR7N04 - 0662 (TFR8T04)*</b>	200bar-11l/min (341bar)	<b>04G..</b>	17.25	<->	17.75	<b>D21</b>	<b>0.70</b>	
				<b>04GC..</b>	13.9	<->	14.1	<b>14</b>	<b>0.00</b>	
<b>Kunststoff-Hochdruckschläuche T =&gt;stahlarmiert einlagig / Tuyau haute pression en plastique 1-tresse en acier</b>										
R7-T	3/16" - DN5	<b>TFR7T03 - 0871</b>	360bar-5l/min	<b>03GD..</b>	11.80	<->	12.00	<b>9</b>	<b>2.90</b>	
	1/4" - DN6	<b>TFR7T04 - 0872</b>	310bar-11l/min	<b>04G..</b>	17.25	<->	17.75	<b>D21</b>	<b>0.70</b>	
				<b>04GC..</b>	13.90	<->	14.10	<b>14</b>	<b>0.00</b>	
	5/16" - DN8	<b>TFR7T05 - 0873</b>	250bar-18l/min	<b>05G..</b>	19.80	<->	20.30	<b>D22</b>	<b>0.25</b>	
				<b>05GB..</b>	16.30	<->	16.50	<b>14</b>	<b>2.40</b>	
	3/8" - DN10	<b>TFR7T06 - 0874</b>	225bar-27l/min	<b>05GD..</b>	17.80	<->	18.00	<b>17</b>	<b>0.90</b>	
				<b>06G..</b>	20.75	<->	21.25	<b>D22</b>	<b>1.20</b>	
	1/2" - DN12	<b>TFR7T08 - 0875</b>	190bar-46l/min	<b>06GD..</b>	18.70	<->	18.90	<b>17</b>	<b>1.80</b>	
<b>08G..</b>				24.60	<->	24.80	<b>24</b>	<b>0.70</b>		
<b>08GC..</b>	22.30	<->	22.50	<b>20</b>	<b>2.40</b>					
<b>Kunststoff-Hochdruckschläuche 10T =&gt;stahlarmiert zweilagig / Tuyau haute pression en plastique 2-tresse en acier</b>										
R10	1/4" - DN6	<b>TFR10T04 - 0852</b>	400bar-11l/min	<b>04G..</b>	18.35	<->	18.85	<b>D21</b>	<b>1.80</b>	
				<b>04GA..</b>	16.30	<->	16.50	<b>14</b>	<b>2.40</b>	
	5/16" - DN8	<b>TFR10T05 - 0853</b>	330bar 18l/min	<b>05GE..</b>	18.80	<->	19.00	<b>17</b>	<b>1.90</b>	
	3/8" - DN10	<b>TFR10T06 - 0854</b>	330bar 27l/min	<b>06G..</b>	21.50	<->	22.00	<b>D22</b>	<b>1.95</b>	
				<b>06GE..</b>	20.20	<->	20.40	<b>20</b>	<b>0.30</b>	
	1/2" - DN12	<b>TFR10T08 - 0855</b>	260bar - 46l/min	<b>08G..</b>	25.40	<->	25.60	<b>24</b>	<b>1.50</b>	
<b>08GE..</b>	24.5	<->	24.7	<b>24</b>	<b>0.60</b>					
<b>Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression</b>										
	1/4" - DN6	<b>GP8004</b>	37bar-6l/min	<b>04G..</b>	17.85	<->	18.35	<b>D21</b>	<b>1.30</b>	
	5/16" - DN8	<b>GP8005</b>	37bar-11l/min	<b>05G..</b>	20.45	<->	20.95	<b>D22</b>	<b>0.90</b>	
	3/8" - DN10	<b>GP8006</b>	37bar-18l/min	<b>06G..</b>	21.85	<->	22.35	<b>D22</b>	<b>2.30</b>	
	1/2" - DN12	<b>GP8008</b>	37bar-29l/min	<b>08G..</b>	26.35	<->	26.85	<b>23</b>	<b>3.60</b>	
	5/8" - DN16	<b>GP8010</b>	30bar-48l/min	<b>10G..</b>	29.75	<->	30.25	<b>30</b>	<b>0.00</b>	
	3/4" - DN20	<b>GP8012</b>	30bar-68l/min	<b>12G..</b>	35.85	<->	36.35	<b>30</b>	<b>6.10</b>	
	1" - DN25	<b>GP8016</b>	30bar-125l/min	<b>16G..</b>	45.65	<->	46.15	<b>45</b>	<b>0.90</b>	
	1-1/4" - DN32	<b>GP8020</b>	30bar-190l/min	<b>20G..</b>	53.45	<->	53.95	<b>51</b>	<b>2.70</b>	

Pressmasstabelle für Uniflex HM200 <sub>e</sub> Table de sertissage pour SM38e		Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP					Satz Nr. Jeu nr.		9/12/14/17/20/D21/D22/24/2 8/32/40/44/50	
Schlauch Tuyau	Dimension									
<b>Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression ( - 40°C - +150°C )</b>										
ACR	1/4" - DN6	<b>04Megatech1000</b>	70bar-6l/min	<b>04G..</b>	17.55	<->	18.05	<b>D21</b>	<b>1.00</b>	
	3/8" - DN10	<b>06Megatech1000</b>	70bar-18l/min	<b>06G..</b>	20.35	<->	20.85	<b>D22</b>	<b>0.80</b>	
	1/2" - DN12	<b>08Megatech1000</b>	70bar-29l/min	<b>08G..</b>	25.65	<->	26.15	<b>23</b>	<b>2.90</b>	
	5/8" - DN16	<b>10Megatech1000</b>	70bar-48l/min	<b>10G..</b>	29.20	<->	29.70	<b>23</b>	<b>6.45</b>	
	3/4" - DN20	<b>12Megatech1000</b>	70bar-68l/min	<b>12G..</b>	34.80	<->	35.30	<b>30</b>	<b>5.05</b>	
	1" - DN25	<b>16Megatech1000</b>	70bar-125l/min	<b>16G..</b>	42.95	<->	43.45	<b>39</b>	<b>4.20</b>	
	1-1/4" - DN32	<b>20Megatech1000</b>	70bar-190l/min	<b>20G..</b>	51.05	<->	51.55	<b>51</b>	<b>0.30</b>	
<b>ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier</b>										
1SC	1/4" - DN6	<b>04PRO1T</b>	225bar-11l/min	<b>04EX..</b>	17.05	<->	17.35	<b>17</b>	<b>0.20</b>	
	5/16" - DN8	<b>05PRO1T</b>	215bar-18l/min	<b>05EX..</b>	17.80	<->	18.10	<b>17</b>	<b>0.95</b>	
	3/8" - DN10	<b>06PRO1T</b>	180bar-27l/min	<b>06EX..</b>	19.65	<->	19.95	<b>17</b>	<b>2.80</b>	
	1/2" - DN12	<b>08PRO1T</b>	160bar-46l/min	<b>08EX..</b>	22.90	<->	23.20	<b>23</b>	<b>0.05</b>	
	5/8" - DN16	<b>10PRO1T</b>	130bar-60l/min	<b>10EX..</b>	26.15	<->	26.45	<b>23</b>	<b>3.30</b>	
	3/4" - DN20	<b>12PRO1T</b>	105bar-80l/min	<b>12EX..</b>	29.95	<->	30.25	<b>30</b>	<b>0.10</b>	
	1" - DN25	<b>16PRO1T</b>	88bar-140l/min	<b>16EX..</b>	37.65	<->	37.95	<b>30</b>	<b>7.80</b>	
<b>ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier</b>										
2SC	1/4" - DN6	<b>04PRO2T</b>	400bar-11l/min	<b>04EX..</b>	17.55	<->	17.85	<b>17</b>	<b>0.70</b>	
				<b>04G..</b>	18.70	<->	19.00	<b>17</b>	<b>1.80</b>	
	5/16" - DN8	<b>05PRO2T</b>	350bar-18l/min	<b>05EX..</b>	18.90	<->	19.20	<b>17</b>	<b>2.05</b>	
				<b>05G..</b>	20.40	<->	20.70	<b>20</b>	<b>0.50</b>	
	3/8" - DN10	<b>06PRO2T</b>	330bar-27l/min	<b>06EX..</b>	20.45	<->	20.75	<b>20</b>	<b>0.60</b>	
				<b>06G..</b>	22.20	<->	22.50	<b>20</b>	<b>2.30</b>	
	1/2" - DN12	<b>08PRO2T</b>	275bar-46l/min	<b>08EX..</b>	24.00	<->	24.30	<b>20</b>	<b>4.15</b>	
				<b>08G..</b>	26.00	<->	26.30	<b>20</b>	<b>6.15</b>	
	5/8" - DN16	<b>10PRO2T</b>	250bar-70l/min	<b>10EX..</b>	27.65	<->	27.95	<b>23</b>	<b>4.80</b>	
				<b>10G..</b>	28.90	<->	29.20	<b>23</b>	<b>6.05</b>	
	3/4" - DN20	<b>12PRO2T</b>	215bar-100l/min	<b>12EX..</b>	31.15	<->	31.45	<b>30</b>	<b>1.30</b>	
				<b>12G..</b>	35.00	<->	35.30	<b>30</b>	<b>5.15</b>	
	1" - DN25	<b>16PRO2T</b>	165bar-160l/min	<b>16EX..</b>	38.95	<->	39.25	<b>39</b>	<b>0.10</b>	
				<b>16G..</b>	43.50	<->	43.80	<b>39</b>	<b>4.65</b>	