

Pressmasstabelle für MC5000/1
Table de sertissage pour MC5000/1

 Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP/GSH/GSM

 Satz Nr.
 Jeu nr.

 10 D21/D22/D33
 D34/D35/D37/D39
 310/310B/311/312/313
 314/D45/D60

 Schlauch
 Tuyau

Dimension


MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier

1SC	1/4" - DN6	04M3K /-MTF	225bar-11l/min	04G..	17.55	<=>	18.05	D21	170			
					04GA..	15.30	<=>	15.50	10	395		
>1SC			04M4K	280bar-11l/min	04G..	17.90	<=>	18.40	D21	200		
						04GA..	16.90	<=>	17.10	D21	111	
2SC			04M5K /-MTF	350bar-11l/min	04G..	17.90	<=>	18.40	D21	200		
						04GA..	16.90	<=>	17.10	D21	111	
>2SC			04M6K	420bar-11l/min	04G..	18.55	<=>	19.05	D21	223		
					04GE..	16.90	<=>	17.10	D21	111		
					04GI..	17.50	<=>	17.70	D21	105		
			04GX..	17.30	<=>	17.50	D21	133				
1SC		5/16" - DN8	05M3K /-MTF	225bar-18l/min	05G..	19.80	<=>	20.30	D22	110		
							05GA..	18.60	<=>	18.80	D21	204
>1SC			05M4K /-MTF	280bar-18l/min	05G..	19.95	<=>	20.45	D22	125		
						05GA..	18.20	<=>	18.40	D21	182	
2SC			05M5K /-MTF	350bar-18l/min	05G..	19.95	<=>	20.45	D22	125		
					05GA..	18.60	<=>	18.80	D21	204		
					05GX..	17.70	<=>	17.90	D21	155		
>1SC	3/8" - DN10		06M3K /-MTF	225bar-27l/min	06G..	20.30	<=>	20.80	D22	150		
							06GA..	20.30	<=>	20.50	D22	133
R2-AT/C				06M4K	280bar-27l/min	06G..	21.60	<=>	22.10	D22	265	
							06GA..	20.40	<=>	20.60	D22	138
>2SC				06M5K /-MTF	350bar-27l/min	06G..	21.55	<=>	22.05	D22	230	
			06GA..			20.50	<=>	20.70	D22	155		
			06GX..			21.70	<=>	21.90	D22	209		
			06IA5600	385bar-27l/min	06G..	21.60	<=>	22.10	D22	233		
>1SC		1/2" - DN12	08M3K /-MTF	225bar-46l/min	08G..	25.15	<=>	25.65	D33	160		
							08GA..	24.40	<=>	24.60	D33	122
>2SC				08M4K /-MTF	280bar-46l/min	08G..	25.80	<=>	26.30	D33	238	
							08GA..	24.70	<=>	24.90	D33	138
>2SC			08M5K /-MTF	350bar-46l/min	08G..	24.90	<=>	25.10	D33	149		
					08G..	26.15	<=>	26.65	D33	225		
					08GA..	26.00	<=>	26.20	D33	209		
1SN	5/8" - DN16		10G1	130bar-55l/min	10G..	28.55	<=>	29.05	D34	145		
							10GA..	27.90	<=>	28.10	D33	313
>1SC				10M3K /-MTF	225bar-70l/min	10G..	29.45	<=>	29.95	D34	210	
							10GA..	29.80	<=>	30.00	D34	193
>2SC				10M4K /-MTF	280bar-70l/min	10G..	29.10	<=>	29.60	D34	163	
			10GA..			30.10	<=>	30.30	D34	209		
			10GX..			28.60	<=>	28.80	D34	127		
1SN		3/4" - DN20	12G1	105bar-80l/min	12G..	34.05	<=>	34.55	D35	200		
2SC							12G..	35.15	<=>	35.65	D35	274
>2SC				12M3K /-MTF	225bar-100l/min	12GA..	34.00	<=>	34.20	D35	187	
							12G..	35.20	<=>	35.70	D35	260
>2SC				12M4K /-MTF	280bar-100l/min	12GA..	34.10	<=>	34.30	D35	193	
			12GX..			32.60	<=>	32.80	D35	111		
			12G..			32.60	<=>	32.80	D35	111		
1SN	1" - DN25		16G1	88bar-150l/min	16G..	44.45	<=>	44.95	D37	265		
>2SC							16G..	45.45	<=>	45.95	D37	310
>2SC				16M3K /-MTF	225bar-160l/min	16GA..	41.30	<=>	41.50	D35	585	
						16GX..	42.00	<=>	42.20	D35	624	
						16G..	42.00	<=>	42.20	D35	624	
1SN		1-1/4" - DN32	20G1	64bar-250l/min	20G..	51.85	<=>	52.35	D39	130		
							20GA..	49.30	<=>	49.50	D37	471
2SN				20G2	125bar-260l/min	20G..	53.75	<=>	54.25	D39	260	
							20GA..	49.70	<=>	49.90	D37	493
1SN			1-1/2" - DN40	24G1	50bar-330l/min	24GSP1F-2	58.15	<=>	58.65	310B	140	
								24GA..	55.60	<=>	55.80	D39
2SN					24G2	90bar-360l/min	24GSP1F-2	59.80	<=>	60.30	310B	279
							24GA..	57.20	<=>	57.40	310	176
1SN	2" - DN50			32G1	42bar-480l/min	32GSP1F-2	70.85	<=>	71.35	312	80	
									32GSP1F-2	72.65	<=>	73.15

Pressmasstabelle für MC5000/1
Table de sertissage pour MC5000/1

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP/GSH/GSM

Satz Nr.
 Jeu nr.

10 D21/D22/D33
 D34/D35/D37/D39
 310/310B/311/312/313
 314/D45/D60

Schlauch
 Tuyau

Dimension



Megaspiral - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15

R15	3/8" - DN10	06EFG6K /-MTF	420bar-27l/min	06GS1F	24.65	<=>	25.15	D33	100
R12	1/2" - DN12	08EFG4K	280bar-46l/min	08GS1F	27.20	<=>	27.70	D33	275
R13		08EFG5K	350bar-46l/min						
4SP/R15		08EFG6K /-MTF	420bar-46l/min						
R12	5/8" - DN16	10EFG4K	280bar-70l/min	10GS1F	33.30	<=>	33.80	D35	125
4SP/R13		10EFG5K	350bar-70l/min						
R15		10EFG6K /-MTF	420bar-70l/min						
R12	3/4" - DN20	12EFG4K	280bar-100l/min	12GS1F	37.35	<=>	37.85	D35	405
4SP/R13		12EFG5K	350bar-100l/min						
4SH/R15		12EFG6K /-MTF	420bar-100l/min						
4SP/R12	1" - DN25	16EFG4K	280bar-180l/min	16GS1F	44.20	<=>	44.70	D37	220
R13		16EFG5K	350bar-180l/min						
>4SH/R15		16EFG6K /-MTF	420bar-180l/min						
4SP/R12	1-1/4" - DN32	20EFG3K	210bar-290l/min	20GS1F-4	52.05	<=>	52.55	D39	150
4SH/R13		20EFG4K	280bar-290l/min	20GS1F-4	51.80	<=>	52.30	D39	130
R15		20EFG5K	350bar-290l/min	20GS1F-6	56.40	<=>	56.90	310	160
4SP/>R12		20EFG6K /-MTF	420bar-290l/min	24GSP1F-4	61.75	<=>	62.25	311	40
>4SH/R13	1-1/2" - DN40	24EFG3K	210bar-410l/min	24GSH../GSM..	63.50	<=>	64.00	311	155
R15		24EFG5K /-MTF	350bar-410l/min						
4SP/>R12	2" - DN50	24EFG6K /-MTF	420 bar-410l/min	32GSP1F-4	74.30	<=>	74.80	313	150
>4SH/R13		32EFG3K	210bar-730l/min	32GSH	77.60	<=>	78.10	314	120
4SH/>R15		32EFG5K /-MTF	350bar-730l/min	32GSM	79.00	<=>	79.50	314B	100
4SH/>R15		32EFG6K /-MTF	420bar-730l/min	32GSM	79.00	<=>	79.50	314B	100

Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

HW	5/16" - DN8	05HW-EF365	250bar-18l/min	05GF..	18.30	<=>	18.50	x	x
"easyfarm 365+"	3/8" - DN10	06HW-EF365	275bar-27l/min	06GF..	19.90	<=>	20.10	x	x
	1/2" - DN12	08HW-EF365	180bar-46l/min	08GA..	22.90	<=>	23.10	x	x

GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

Wasser eau	1/4" - DN6	04CM4000..	280bar-11l/min	04G..	17.80	<=>	18.00	x	x
				04GA..	16.20	<=>	16.40	x	x
	1/4" - DN6	04CM6000..	400bar-11l/min	04G..	18.70	<=>	18.90	x	x
				05G..	20.40	<=>	20.60	x	x
	5/16" - DN8	05CM6000..	420bar-18l/min	05GA..	18.90	<=>	19.10	x	x
				06G..	22.50	<=>	22.70	x	x
	3/8" - DN10	06CM6000..	420bar-27l/min	06GA..	20.90	<=>	21.10	x	x
				08G..	25.00	<=>	25.20	x	x
	1/2" - DN12	08CM3000..	210bar-46l/min	08GA..	23.70	<=>	23.90	x	x

GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple

R4	5/8" - DN16	IVG 2000-10	18bar-16l/min	10G..	31.80	<=>	32.30	D34	310
	3/4" - DN20	12MULTIM	24bar-22l/min	12G..	36.90	<=>	37.40	D35	354
R4H	1" - DN25	16MULTIM	21bar-40l/min	16G..	43.75	<=>	44.25	D37	176
	1-1/4" - DN32	20MULTIM	17bar-62l/min	20G..	50.75	<=>	51.25	D37	558
	1-1/2" - DN40	24MULTIM	10bar-90l/min	24GSP1F-2	56.80	<=>	57.30	310B	163
	2" - DN50	32MULTIM	10bar-155l/min	32GSP1F-2	70.40	<=>	70.90	312	201

Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier







>2SC(SN)	1/4" - DN6	04M2T /-MTF	420bar-11l/min	04G..	17.90	<=>	18.40	D21	174
2SC(SN)	5/16" - DN8	05M2T /-MTF	380bar-18l/min	05G..	19.95	<=>	20.45	D22	122
>2SC(SN)	3/8" - DN10	06M2T /-MTF	350bar-27l/min	06G..	21.60	<=>	22.10	D22	212
>2SC(SN)	1/2" - DN12	08M2T /-MTF	300bar-46l/min	08G..	26.05	<=>	26.55	D33	220
>2SC(SN)	5/8" - DN16	10M2T /-MTF	260bar-70l/min	10G..	28.35	<=>	28.85	D34	122
2SC(SN)	3/4" - DN20	12M2T /-MTF	240bar-100l/min	12G..	34.55	<=>	35.05	D35	225
>2SC(SN)	1" - DN25	16M2T /-MTF	170bar-160l/min	16G..	43.20	<=>	43.70	D37	146







Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier

>2SC(SN)	3/8" - DN10	06CM2TDL-XTF	330bar-27l/min	06G..	21.70	<=>	22.00	D22	265
	1/2" - DN12	08CM2TDL-XTF	275bar-46l/min	08G..	26.15	<=>	26.45	D33	220

Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier

>2SC(SN)	1/4" - DN6	04MXT /-XTP	420bar-11l/min	04G..	17.90	<=>	18.40	D21	174
2SC(SN)	5/16" - DN8	05MXT /-XTP	390bar-18l/min	05G..	19.95	<=>	20.45	D22	122
>2SC(SN)	3/8" - DN10	06MXT /-XTP	340bar-27l/min	06G..	20.95	<=>	21.45	D22	176
>2SC(SN)	1/2" - DN12	08MXT /-XTP	280bar-46l/min	08G..	24.90	<=>	25.40	D33	157
>2SC(SN)	5/8" - DN16	10MXT /-XTP	260bar-70l/min	10G..	28.55	<=>	29.05	D34	133
2SC(SN)	3/4" - DN20	12MXT /-XTP	220bar-100l/min	12G..	34.05	<=>	34.55	D35	198
2SC(SN)	1" - DN25	16MXT /-XTP	170bar-160l/min	16G..	43.55	<=>	44.05	D37	165

Pressmasstabelle für MC5000/1 Table de sertissage pour MC5000/1		Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP/GSH/GSM					Satz Nr. Jeu nr.	10 D21/D22/D33 D34/D35/D37/D39 310/310B/311/312/313 314/D45/D60	
Schlauch Tuyau	Dimension								
Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier (- 40°C - +150°C)									
2SC-HT	1/4" - DN6	04G2XH	420bar-11l/min	04G..	18.55	<>	19.05	D21	209
	3/8" - DN10	06G2XH	350bar-27l/min	06G..	22.35	<>	22.85	D22	253
	1/2" - DN12	08G2XH	290bar-46l/min	08G..	26.40	<>	26.90	D33	239
	5/8" - DN16	10G2XH	250bar-70l/min	10G..	29.45	<>	29.95	D34	182
	3/4" - DN20	12G2XH	215bar-100l/min	12G..	35.2	<>	35.7	D35	261
Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier									
2SC	1/4" - DN6	04F2	400bar-11l/min	04G..	18.90	<>	19.10	D21	220
				04GF..	16.10	<>	16.30	10	438
2SC	5/16" - DN8	05F2	350bar-18l/min	05G..	21.10	<>	21.30	D22	176
				05GF..	18.00	<>	18.20	D21	176
2SC	3/8" - DN10	06F2	330bar-27l/min	06G..	22.10	<>	22.30	D22	231
				06GF..	20.00	<>	20.20	D22	138
2SC	1/2" - DN12	08F2	275bar-46l/min	08G..	26.50	<>	26.70	D33	236
				08GF..	23.90	<>	24.10	D22	329
2SC	5/8" - DN16	10F2	250bar-70l/min	10G..	29.30	<>	29.50	D33	389
				10GF..	27.3	<>	27.50	D33	280
GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier									
pil	3/16" - DN5	P1T03	120bar-5L/min	03GC..	11.30	<>	11.50	10	176
				03GK..	11.40	<>	11.60	10	182
	1/4" - DN6	P1T04	120bar-11L/min	04GC..	14.00	<>	14.20	10	324
				04GK..	13.60	<>	13.80	10	302
5/16" - DN8	P1T05	120bar-18L/min	05GC..	16.50	<>	16.70	10	x	
3/8" - DN10	P1T06	120bar-27L/min	06GC..	17.7	<>	17.9	D21	155	
Minimess-Hochdruckschlauch / Tuyau haute pression Minimess									
	1/8" - DN2	MS-HD630	630bar-2l/min	IN02	7.2	<>	7.4		
Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon									
R7-N	3/16" - DN5	TFR7N03 - 0661	212bar-5l/min	03GC..	10.80	<>	11.00	10	149
				04G..	17.25	<>	17.75	D21	130
	1/4" - DN6	TFR7N04 - 0662	200bar-11l/min	04GC..	13.9	<>	14.1	10	318
Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier									
R7-T	3/16" - DN5	TFR7T03 - 0871	360bar-5l/min	03GD..	11.80	<>	12.00	10	204
				04G..	17.25	<>	17.75	D21	130
	1/4" - DN6	TFR7T04 - 0872	310bar-11l/min	04GC..	13.90	<>	14.10	10	318
				05G..	19.80	<>	20.30	D22	100
	5/16" - DN8	TFR7T05 - 0873	250bar-18l/min	05GB..	16.30	<>	16.50	10	x
				05GD..	17.80	<>	18.00	D21	160
	3/8" - DN10	TFR7T06 - 0874	225bar-27l/min	06G..	20.75	<>	21.25	D22	180
				06GD..	18.70	<>	18.90	D21	209
	1/2" - DN12	TFR7T08 - 0875	190bar-46l/min	08G..	24.60	<>	24.80	D33	133
				08GC..	22.30	<>	22.50	D22	242
Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier									
R10	1/4" - DN6	TFR10T04 - 0852	400bar-11l/min	04G..	18.35	<>	18.85	D21	198
				04GA..	16.30	<>	16.50	10	449
	5/16" - DN8	TFR10T05 - 0853	400bar 18l/min	05GE..	18.80	<>	19.00	10	585
	3/8" - DN10	TFR10T06 - 0854	330bar 27l/min	06G..	21.50	<>	22.00	D22	206
				06GE..	20.20	<>	20.40	D22	127
	1/2" - DN12	TFR10T08 - 0855	260bar - 46l/min	08G..	25.40	<>	25.60	D33	176
			08GE..	24.5	<>	24.7	D33	127	
Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression									
GP	1/4" - DN6	GP8004	37bar-6l/min	04G..	17.85	<>	18.35	D21	205
	5/16" - DN8	GP8005	37bar-11l/min	05G..	20.45	<>	20.95	D22	170
	3/8" - DN10	GP8006	37bar-18l/min	06G..	21.85	<>	22.35	D22	265
	1/2" - DN12	GP8008	37bar-29l/min	08G..	26.35	<>	26.85	D33	230
	5/8" - DN16	GP8010	30bar-48l/min	10G..	29.75	<>	30.25	D34	225
	3/4" - DN20	GP8012	30bar-68l/min	12G..	35.85	<>	36.35	D35	315
	1" - DN25	GP8016	30bar-125l/min	16G..	45.65	<>	46.15	D37	335
	1-1/4" - DN32	GP8020	30bar-190l/min	20G..	53.45	<>	53.95	D39	250
	1-1/2" - DN40	GP8024	30bar-280l/min	24GSP1F-2	57.25	<>	57.75	310B	80
	2" - DN50	GP8032	30bar-450l/min	32GSP1F-2	70.20	<>	70.70	312	70

Pressmasstabelle für MC5000/1 Table de sertissage pour MC5000/1		Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP/GSH/GSM					Satz Nr. Jeu nr.		10 D21/D22/D33 D34/D35/D37/D39 310/310B/311/312/313 314/D45/D60	
Schlauch Tuyau	Dimension									
Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression (- 40°C - +150°C)										
ACR	1/4" - DN6	04Megatech1000	70bar-6l/min	04G..	17.55	<->	18.05	D21	175	
	3/8" - DN10	06Megatech1000	70bar-18l/min	06G..	20.35	<->	20.85	D22	150	
	1/2" - DN12	08Megatech1000	70bar-29l/min	08G..	25.65	<->	26.15	D33	190	
	5/8" - DN16	10Megatech1000	70bar-48l/min	10G..	29.20	<->	29.70	D34	190	
	3/4" - DN20	12Megatech1000	70bar-68l/min	12G..	34.80	<->	35.30	D35	245	
	1" - DN25	16Megatech1000	70bar-125l/min	16G..	42.95	<->	43.45	D37	155	
	1-1/4" - DN32	20Megatech1000	70bar-190l/min	20G..	51.05	<->	51.55	D39	80	
	1-1/2" - DN40	24Megatech500	35bar-280l/min	24GSP1F-2	57.15	<->	57.65	310B	57	
2" - DN50	32Megatech500	35bar-450l/min	32GSP1F-2	70.35	<->	70.85	312	45		
ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier										
1SC	1/4" - DN6	04PRO1T	225bar-11l/min	04EX..	17.05	<->	17.35	D21	122	
	5/16" - DN8	05PRO1T	215bar-18l/min	05EX..	17.80	<->	18.10	D21	163	
	3/8" - DN10	06PRO1T	180bar-27l/min	06EX..	19.65	<->	19.95	D22	100	
	1/2" - DN12	08PRO1T	160bar-46l/min	08EX..	22.90	<->	23.20	D22	277	
	5/8" - DN16	10PRO1T	130bar-60l/min	10EX..	26.15	<->	26.45	D33	220	
	3/4" - DN20	12PRO1T	105bar-80l/min	12EX..	29.95	<->	30.25	D34	204	
	1" - DN25	16PRO1T	88bar-140l/min	16EX..	37.65	<->	37.95	D35	389	
ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier										
2SC	1/4" - DN6	04PRO2T	400bar-11l/min	04EX..	17.55	<->	17.85	D21	149	
				04G..	18.70	<->	19.00	D21	x	
	5/16" - DN8	05PRO2T	350bar-18l/min	05EX..	18.90	<->	19.20	D21	223	
				05G..	20.40	<->	20.70	D21	x	
	3/8" - DN10	06PRO2T	330bar-27l/min	06EX..	20.45	<->	20.75	D22	144	
				06G..	22.20	<->	22.50	D22	x	
	1/2" - DN12	08PRO2T	275bar-46l/min	08EX..	24.00	<->	24.30	D33	103	
				08G..	26.00	<->	26.30	D33	x	
	5/8" - DN16	10PRO2T	250bar-70l/min	10EX..	27.65	<->	27.95	D33	302	
				10G..	28.90	<->	29.20	D33	x	
	3/4" - DN20	12PRO2T	215bar-100l/min	12EX..	31.15	<->	31.45	D34	269	
				12G..	35.00	<->	35.30	D34	x	
	1" - DN25	16PRO2T	165bar-160l/min	16EX..	38.95	<->	39.25	D35	460	
				16G..	43.50	<->	43.80	D35	x	