

Pressmasstabelle für SM32
Table de sertissage pour SM32

 Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

 Satz Nr.
 Jeu nr.

 11/17/20
 23/31/39/45

 Schlauch
 Tuyau

Dimension


MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier


1SC	1/4" - DN6	04M3K /-MTF	225bar-11l/min	04G..	17.55	<=>	18.05	17	0.80	
					04GA..	15.30	<=>	15.50	11	4.40
>1SC			04M4K	280bar-11l/min	04G..	17.90	<=>	18.40	17	1.15
						04GA..	16.90	<=>	17.10	17
2SC			04M5K /-MTF	350bar-11l/min	04G..	17.90	<=>	18.40	17	1.15
						04GA..	16.90	<=>	17.10	17
>2SC		04M6K	420bar-11l/min	04G..	18.55	<=>	19.05	17	1.80	
					04GE..	16.90	<=>	17.10	17	0.00
					04GI..	17.50	<=>	17.70	17	0.60
				04GX..	17.30	<=>	17.50	17	0.40	
1SC	5/16" - DN8	05M3K /-MTF	225bar-18l/min	05G..	19.80	<=>	20.30	17	3.05	
						05GA..	18.60	<=>	18.80	17
>1SC			05M4K /-MTF	280bar-18l/min	05G..	19.95	<=>	20.45	17	3.20
						05GA..	18.20	<=>	18.40	17
2SC			05M5K /-MTF	350bar-18l/min	05G..	19.95	<=>	20.45	17	3.20
						05GA..	18.60	<=>	18.80	17
				05GX..	17.70	<=>	17.90	17	0.80	
>1SC	3/8" - DN10	06M3K /-MTF	225bar-27l/min	06G..	20.30	<=>	20.80	20	0.55	
						06GA..	20.30	<=>	20.50	20
R2-AT/C			06M4K	280bar-27l/min	06G..	21.60	<=>	22.10	20	1.85
						06GA..	20.40	<=>	20.60	20
>2SC			06M5K /-MTF	350bar-27l/min	06G..	21.55	<=>	22.05	20	1.80
						06GA..	20.50	<=>	20.70	20
				06GX..	21.70	<=>	21.90	20	1.80	
		06IA5600	385bar-27l/min	06G..	21.60	<=>	22.10	20	1.85	
>1SC	1/2" - DN12	08M3K /-MTF	225bar-46l/min	08G..	25.15	<=>	25.65	23	2.40	
						08GA..	24.40	<=>	24.60	23
>2SC			08M4K /-MTF	280bar-46l/min	08G..	25.80	<=>	26.30	23	3.05
						08GA..	24.70	<=>	24.90	23
>2SC			08M5K /-MTF	350bar-46l/min	08G..	24.90	<=>	25.10	23	2.00
						08GX..	24.90	<=>	25.10	23
				08GA..	26.15	<=>	26.65	23	3.40	
				08GA..	26.00	<=>	26.20	23	3.10	
1SN	5/8" - DN16	10G1	130bar-55l/min	10G..	28.55	<=>	29.05	23	5.80	
						10GA..	27.90	<=>	28.10	23
>1SC			10M3K /-MTF	225bar-70l/min	10G..	29.45	<=>	29.95	23	6.70
						10GA..	29.80	<=>	30.00	23
>2SC			10M4K /-MTF	280bar-70l/min	10G..	29.10	<=>	29.60	23	6.35
						10GA..	30.10	<=>	30.30	23
				10GX..	28.60	<=>	28.80	23	5.70	
1SN	3/4" - DN20	12G1	105bar-80l/min	12G..	34.05	<=>	34.55	31	3.30	
						12GA..	35.15	<=>	35.65	31
2SC			12M3K /-MTF	225bar-100l/min	12G..	34.00	<=>	34.20	31	3.10
						12GA..	34.00	<=>	34.20	31
>2SC		12M4K /-MTF	280bar-100l/min	12G..	35.20	<=>	35.70	31	4.45	
					12GA..	34.10	<=>	34.30	31	3.20
				12GX..	32.60	<=>	32.80	31	1.70	
1SN	1" - DN25	16G1	88bar-150l/min	16G..	44.45	<=>	44.95	39	5.70	
						16GA..	45.45	<=>	45.95	45
>2SC			16M3K /-MTF	225bar-160l/min	16G..	41.30	<=>	41.50	39	2.40
					16GA..	41.30	<=>	41.50	39	2.40
				16GX..	42.00	<=>	42.20	39	3.10	
1SN	1-1/4" - DN32	20G1	64bar-250l/min	20G..	51.85	<=>	52.35	45	7.10	
						20GA..	49.30	<=>	49.50	45
2SN			20G2	125bar-260l/min	20G..	53.75	<=>	54.25	45	9.00
					20GA..	49.70	<=>	49.90	45	4.80

Pressmasstabelle für SM32
Table de sertissage pour SM32

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

Satz Nr.
 Jeu nr. 11/17/20
 23/31/39/45

Schlauch
 Tuyau Dimension



Megasprial - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15

R15	3/8" - DN10	06EFG6K /-MTF	420bar-27l/min	06GS1F	24.65	<->	25.15	23	1.90
R12	1/2" - DN12	08EFG4K	280bar-46l/min	08GS1F	27.20	<->	27.70	23	4.45
R13		08EFG5K	350bar-46l/min						
4SP/R15		08EFG6K /-MTF	420bar-46l/min						
R12	5/8" - DN16	10EFG4K	280bar-70l/min	10GS1F	33.30	<->	33.80	31	2.55
4SP/R13		10EFG5K	350bar-70l/min						
R15		10EFG6K /-MTF	420bar-70l/min						
R12	3/4" - DN20	12EFG4K	280bar-100l/min	12GS1F	37.35	<->	37.85	31	3.60
4SP/R13		12EFG5K	350bar-100l/min						
4SH/R15		12EFG6K /-MTF	420bar-100l/min						
4SP/R12	1" - DN25	16EFG4K	280bar-180l/min	16GS1F	44.20	<->	44.70	39	5.45
R13		16EFG5K	350bar-180l/min						
>4SH/R15		16EFG6K /-MTF	420bar-180l/min						
4SP/R12	1-1/4" - DN32	20EFG3K	210bar-290l/min	20GS1F-4	52.05	<->	52.55	45	7.30
		20EFG4K	280bar-290l/min	20GS1F-4	51.80	<->	52.30	45	7.05

Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

HW	5/16" - DN8	05HW-EF365	250bar-18l/min	05GF..	18.30	<->	18.50	17	1.40
"easyfarm 365+"	3/8" - DN10	06HW-EF365	275bar-27l/min	06GF..	19.90	<->	20.10	20	0.00
	1/2" - DN12	08HW-EF365	180bar-46l/min	08GA..	22.90	<->	23.10	23	0.00

GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau

Wasser eau	1/4" - DN6	04CM4000..	280bar-11l/min	04G..	17.80	<->	18.00	17	0.90
				04GA..	16.20	<->	16.40	11	5.30
	1/4" - DN6	04CM6000..	400bar-11l/min	04G..	18.70	<->	18.90	17	1.80
				04GA..	18.90	<->	19.10	17	2.00
	5/16" - DN8	05CM6000..	420bar-18l/min	05G..	20.40	<->	20.60	20	0.50
				05GA..	18.90	<->	19.10	17	2.00
	3/8" - DN10	06CM6000..	420bar-27l/min	06G..	22.50	<->	22.70	20	2.60
				06GA..	20.90	<->	21.10	20	1.00
	1/2" - DN12	08CM3000..	210bar-46l/min	08G..	25.00	<->	25.20	23	2.10
				08GA..	23.70	<->	23.90	23	0.80

GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple

R4	5/8" - DN16	IVG 2000-10	18bar-16l/min	10G..	31.80	<->	32.30	31	1.05
	3/4" - DN20	12MULTIM	24bar-22l/min	12G..	36.90	<->	37.40	31	6.15
R4H	1" - DN25	16MULTIM	21bar-40l/min	16G..	43.75	<->	44.25	39	5.00
	1-1/4" - DN32	20MULTIM	17bar-62l/min	20G..	50.75	<->	51.25	45	6.00

Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

>2SC(SN)	1/4" - DN6	04M2T /-MTF	420bar-11l/min	04G..	17.90	<->	18.40	17	1.15
2SC(SN)	5/16" - DN8	05M2T /-MTF	380bar-18l/min	05G..	19.95	<->	20.45	20	0.20
>2SC(SN)	3/8" - DN10	06M2T /-MTF	350bar-27l/min	06G..	21.60	<->	22.10	20	1.85
>2SC(SN)	1/2" - DN12	08M2T /-MTF	300bar-46l/min	08G..	26.05	<->	26.55	23	3.30
>2SC(SN)	5/8" - DN16	10M2T /-MTF	260bar-70l/min	10G..	28.35	<->	28.85	23	5.60
2SC(SN)	3/4" - DN20	12M2T /-MTF	240bar-100l/min	12G..	34.55	<->	35.05	31	3.80
>2SC(SN)	1" - DN25	16M2T /-MTF	170bar-160l/min	16G..	43.20	<->	43.70	39	4.45

Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier

>2SC(SN)	3/8" - DN10	06CM2TDL-XTF	330bar-27l/min	06G..	21.70	<->	22.00	20	1.85
	1/2" - DN12	08CM2TDL-XTF	275bar-46l/min	08G..	26.15	<->	26.45	23	3.30

Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier

>2SC(SN)	1/4" - DN6	04MXT /-XTP	420bar-11l/min	04G..	17.90	<->	18.40	17	1.15
2SC(SN)	5/16" - DN8	05MXT /-XTP	390bar-18l/min	05G..	19.95	<->	20.45	20	0.20
>2SC(SN)	3/8" - DN10	06MXT /-XTP	340bar-27l/min	06G..	20.95	<->	21.45	20	1.20
>2SC(SN)	1/2" - DN12	08MXT /-XTP	280bar-46l/min	08G..	24.90	<->	25.40	23	2.15
>2SC(SN)	5/8" - DN16	10MXT /-XTP	260bar-70l/min	10G..	28.55	<->	29.05	23	5.80
2SC(SN)	3/4" - DN20	12MXT /-XTP	220bar-100l/min	12G..	34.05	<->	34.55	31	3.30
>2SC(SN)	1" - DN25	16MXT /-XTP	170bar-160l/min	16G..	43.55	<->	44.05	45	-1.20

Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier (- 40°C - +150°C)

2SC-HT	1/4" - DN6	04G2XH	420bar-11l/min	04G..	18.55	<->	19.05	17	1.80
	3/8" - DN10	06G2XH	350bar-27l/min	06G..	22.35	<->	22.85	20	2.60
	1/2" - DN12	08G2XH	290bar-46l/min	08G..	26.40	<->	26.90	23	3.65
	5/8" - DN16	10G2XH	250bar-70l/min	10G..	29.45	<->	29.95	23	6.70
	3/4" - DN20	12G2XH	215bar-100l/min	12G..	35.2	<->	35.7	31	4.45

Pressmasstabelle für SM32
Table de sertissage pour SM32

Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

Satz Nr.
 Jeu nr. 11/17/20
 23/31/39/45

Schlauch
 Tuyau Dimension



Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

2SC	1/4" - DN6	04F2	400bar-11l/min	04G..	18.90	<>	19.10	17	2.00
				04GF..	16.10	<>	16.30	11	5.20
2SC	5/16" - DN8	05F2	350bar-18l/min	05G..	21.10	<>	21.30	20	1.20
				05GF..	18.00	<>	18.20	17	1.10
2SC	3/8" - DN10	06F2	330bar-27l/min	06G..	22.10	<>	22.30	20	2.20
				06GF..	20.00	<>	20.20	20	0.10
2SC	1/2" - DN12	08F2	275bar-46l/min	08G..	26.50	<>	26.70	23	3.60
				08GF..	23.90	<>	24.10	23	1.00
2SC	5/8" - DN16	10F2	250bar-70l/min	10G..	29.30	<>	29.50	23	6.40
				10GF..	27.3	<>	27.50	23	4.40

GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier

pil	3/16" - DN5	P1T03	120bar-5L/min	03GC..	11.30	<>	11.50	11	0.40
				03GK..	11.40	<>	11.60	11	0.50
	1/4" - DN6	P1T04	120bar-11L/min	04GC..	14.00	<>	14.20	11	3.10
				04GK..	13.60	<>	13.80	11	2.70
	5/16" - DN8	P1T05	120bar-18L/min	05GC..	16.50	<>	16.70	11	5.60
	3/8" - DN10	P1T06	120bar-27L/min	06GC..	17.7	<>	17.9	17	0.80

Minimess-Hochdruckschlauch / Tuyau haute pression Minimess

	1/8" - DN2	MS-HD630	630bar-2l/min	IN02	7.2	<>	7.4	6	1.30
--	------------	----------	---------------	------	-----	----	-----	---	------

Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon

R7-N	1/4" - DN6	TFR7N04 - 0662	200bar-11l/min	04G..	17.25	<>	17.75	3	1.50
				04GC..	13.9	<>	14.1	13	1.00

Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier

R7-T	3/16" - DN5	TFR7T03 - 0871	360bar-5l/min	03GD..	11.80	<>	12.00	11	0.90
	1/4" - DN6	TFR7T04 - 0872	310bar-11l/min	04G..	17.25	<>	17.75	17	0.50
				04GC..	13.90	<>	14.10	11	3.00
	5/16" - DN8	TFR7T05 - 0873	250bar-18l/min	05G..	19.80	<>	20.30	20	0.05
				05GB..	16.30	<>	16.50	11	5.40
				05GD..	17.80	<>	18.00	17	0.90
	3/8" - DN10	TFR7T06 - 0874	225bar-27l/min	06G..	20.75	<>	21.25	20	1.00
				06GD..	18.70	<>	18.90	17	1.80
	1/2" - DN12	TFR7T08 - 0875	190bar-46l/min	08G..	24.60	<>	24.80	23	1.70
				08GC..	22.30	<>	22.50	20	2.40

Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier

R10	1/4" - DN6	TFR10T04 - 0852	400bar-11l/min	04G..	18.35	<>	18.85	17	1.60
				04GA..	16.30	<>	16.50	11	5.40
	5/16" - DN8	TFR10T05 - 0853	400bar 18l/min	05GE..	18.80	<>	19.00	17	1.90
	3/8" - DN10	TFR10T06 - 0854	330bar 27l/min	06G..	21.50	<>	22.00	20	1.75
				06GE..	20.20	<>	20.40	20	0.30
	1/2" - DN12	TFR10T08 - 0855	260bar - 46l/min	08G..	25.40	<>	25.60	23	2.50
				08GE..	24.5	<>	24.7	23	1.60

Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression

	1/4" - DN6	GP8004	37bar-6l/min	04G..	17.85	<>	18.35	17	1.10
	5/16" - DN8	GP8005	37bar-11l/min	05G..	20.45	<>	20.95	20	0.70
	3/8" - DN10	GP8006	37bar-18l/min	06G..	21.85	<>	22.35	20	2.10
	1/2" - DN12	GP8008	37bar-29l/min	08G..	26.35	<>	26.85	23	3.60
	5/8" - DN16	GP8010	30bar-48l/min	10G..	29.75	<>	30.25	23	7.00
	3/4" - DN20	GP8012	30bar-68l/min	12G..	35.85	<>	36.35	31	5.10
	1" - DN25	GP8016	30bar-125l/min	16G..	45.65	<>	46.15	45	0.90
	1-1/4" - DN32	GP8020	30bar-190l/min	20G..	53.45	<>	53.95	45	8.70

Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression (- 40°C - +150°C)

ACR	1/4" - DN6	04Megatech1000	70bar-6l/min	04G..	17.55	<>	18.05	17	0.80
	3/8" - DN10	06Megatech1000	70bar-18l/min	06G..	20.35	<>	20.85	20	0.60
	1/2" - DN12	08Megatech1000	70bar-29l/min	08G..	25.65	<>	26.15	23	2.90
	5/8" - DN16	10Megatech1000	70bar-48l/min	10G..	29.20	<>	29.70	23	6.45
	3/4" - DN20	12Megatech1000	70bar-68l/min	12G..	34.80	<>	35.30	31	4.05
	1" - DN25	16Megatech1000	70bar-125l/min	16G..	42.95	<>	43.45	39	4.20
	1-1/4" - DN32	20Megatech1000	70bar-190l/min	20G..	51.05	<>	51.55	45	6.30

Pressmasstabelle für SM32
Table de sertissage pour SM32

 Pressarmatur Typ:
 Raccord à sertir type:
 G/GA/GC/GE/GF/GX/GS

 Satz Nr.
 Jeu nr.

 11/17/20
 23/31/39/45

 Schlauch
 Tuyau

Dimension


ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier

1SC	1/4" - DN6	04PRO1T	225bar-11l/min	04EX..	17.05	<->	17.35	17	0.20
	5/16" - DN8	05PRO1T	215bar-18l/min	05EX..	17.80	<->	18.10	17	0.95
	3/8" - DN10	06PRO1T	180bar-27l/min	06EX..	19.65	<->	19.95	17	2.80
	1/2" - DN12	08PRO1T	160bar-46l/min	08EX..	22.90	<->	23.20	23	0.05
	5/8" - DN16	10PRO1T	130bar-60l/min	10EX..	26.15	<->	26.45	23	3.30
	3/4" - DN20	12PRO1T	105bar-80l/min	12EX..	29.95	<->	30.25	23	7.10
	1" - DN25	16PRO1T	88bar-140l/min	16EX..	37.65	<->	37.95	31	6.80

ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier

2SC	1/4" - DN6	04PRO2T	400bar-11l/min	04EX..	17.55	<->	17.85	17	0.70
				04G..	18.70	<->	19.00	17	1.85
	5/16" - DN8	05PRO2T	350bar-18l/min	05EX..	18.90	<->	19.20	17	2.05
				05G..	20.40	<->	20.70	20	0.55
	3/8" - DN10	06PRO2T	330bar-27l/min	06EX..	20.45	<->	20.75	20	0.60
				06G..	22.20	<->	22.50	20	2.35
	1/2" - DN12	08PRO2T	275bar-46l/min	08EX..	24.00	<->	24.30	23	1.15
				08G..	26.00	<->	26.30	23	3.15
	5/8" - DN16	10PRO2T	250bar-70l/min	10EX..	27.65	<->	27.95	23	4.80
				10G..	28.90	<->	29.20	23	6.05
	3/4" - DN20	12PRO2T	215bar-100l/min	12EX..	31.15	<->	31.45	31	1.30
				12G..	35.00	<->	35.30	31	4.15
	1" - DN25	16PRO2T	165bar-160l/min	16EX..	38.95	<->	39.25	39	0.10
				16G..	43.50	<->	43.80	39	4.65