

**Pressmasstabelle für SM50EC50E**  
**Table de sertissage pour SM50EC50E**

Pressarmatur Typ:  
 Raccord à sertir type:  
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.  
 Jeu nr.

10/13/16/19/22  
 26/30/34/39/45  
 52/57/64/69







Schlauch  
 Tuyau

Dimension



**MegaSys -Kompakt Hochdruckschläuche stahlarmiert / Tuyau haute pression compact avec tresse acier**

1SC	1/4" - DN6	<b>04M3K /-MTF</b>	225bar-11l/min	<b>04G..</b>	17.55	<=>	18.05	<b>16</b>	<b>1.80</b>			
					<b>04GA..</b>	15.30	<=>	15.50	<b>13</b>	<b>2.40</b>		
>1SC			<b>04M4K</b>	280bar-11l/min	<b>04G..</b>	17.90	<=>	18.40	<b>16</b>	<b>2.15</b>		
						<b>04GA..</b>	16.90	<=>	17.10	<b>16</b>	<b>1.00</b>	
2SC			<b>04M5K /-MTF</b>	350bar-11l/min	<b>04G..</b>	17.90	<=>	18.40	<b>16</b>	<b>2.15</b>		
						<b>04GA..</b>	16.90	<=>	17.10	<b>16</b>	<b>1.00</b>	
>2SC			<b>04M6K</b>	420bar-11l/min	<b>04G..</b>	18.55	<=>	19.05	<b>16</b>	<b>2.80</b>		
					<b>04GE..</b>	16.90	<=>	17.10	<b>16</b>	<b>1.00</b>		
					<b>04GI..</b>	17.50	<=>	17.70	<b>16</b>	<b>1.60</b>		
			<b>04GX..</b>	17.30	<=>	17.50	<b>16</b>	<b>1.40</b>				
1SC		5/16" - DN8	<b>05M3K /-MTF</b>	225bar-18l/min	<b>05G..</b>	19.80	<=>	20.30	<b>19</b>	<b>1.05</b>		
							<b>05GA..</b>	18.60	<=>	18.80	<b>16</b>	<b>2.70</b>
>1SC			<b>05M4K /-MTF</b>	280bar-18l/min	<b>05G..</b>	19.95	<=>	20.45	<b>19</b>	<b>1.20</b>		
						<b>05GA..</b>	18.20	<=>	18.40	<b>16</b>	<b>2.30</b>	
2SC			<b>05M5K /-MTF</b>	350bar-18l/min	<b>05G..</b>	19.95	<=>	20.45	<b>19</b>	<b>1.20</b>		
					<b>05GA..</b>	18.60	<=>	18.80	<b>16</b>	<b>2.70</b>		
					<b>05GX..</b>	17.70	<=>	17.90	<b>16</b>	<b>1.80</b>		
>1SC	3/8" - DN10		<b>06M3K /-MTF</b>	225bar-27l/min	<b>06G..</b>	20.30	<=>	20.80	<b>19</b>	<b>1.55</b>		
							<b>06GA..</b>	20.30	<=>	20.50	<b>19</b>	<b>1.40</b>
R2-AT/C				<b>06M4K</b>	280bar-27l/min	<b>06G..</b>	21.60	<=>	22.10	<b>19</b>	<b>2.85</b>	
							<b>06GA..</b>	20.40	<=>	20.60	<b>19</b>	<b>1.50</b>
>2SC				<b>06M5K /-MTF</b>	350bar-27l/min	<b>06G..</b>	21.55	<=>	22.05	<b>19</b>	<b>2.80</b>	
			<b>06GA..</b>			20.50	<=>	20.70	<b>19</b>	<b>1.60</b>		
			<b>06GX..</b>			21.70	<=>	21.90	<b>19</b>	<b>2.80</b>		
			<b>06IA5600</b>	385bar-27l/min	<b>06G..</b>	21.60	<=>	22.10	<b>19</b>	<b>2.85</b>		
>1SC		1/2" - DN12	<b>08M3K /-MTF</b>	225bar-46l/min	<b>08G..</b>	25.15	<=>	25.65	<b>22</b>	<b>3.40</b>		
							<b>08GA..</b>	24.40	<=>	24.60	<b>22</b>	<b>2.50</b>
>2SC				<b>08M4K /-MTF</b>	280bar-46l/min	<b>08G..</b>	25.80	<=>	26.30	<b>22</b>	<b>4.05</b>	
						<b>08GA..</b>	24.70	<=>	24.90	<b>22</b>	<b>2.80</b>	
			<b>08GX..</b>			24.90	<=>	25.10	<b>22</b>	<b>3.00</b>		
>2SC			<b>08M5K /-MTF</b>	350bar-46l/min	<b>08G..</b>	26.15	<=>	26.65	<b>22</b>	<b>4.40</b>		
					<b>08GA..</b>	26.00	<=>	26.20	<b>26</b>	<b>0.10</b>		
1SN	5/8" - DN16		<b>10G1/-H</b>	130bar-55l/min	<b>10G..</b>	28.55	<=>	29.05	<b>26</b>	<b>2.80</b>		
							<b>10GA..</b>	27.90	<=>	28.10	<b>26</b>	<b>2.00</b>
>1SC				<b>10M3K /-MTF</b>	225bar-70l/min	<b>10G..</b>	29.45	<=>	29.95	<b>26</b>	<b>3.70</b>	
							<b>10GA..</b>	29.80	<=>	30.00	<b>26</b>	<b>3.90</b>
>2SC				<b>10M4K /-MTF</b>	280bar-70l/min	<b>10G..</b>	29.10	<=>	29.60	<b>26</b>	<b>3.35</b>	
			<b>10GA..</b>			30.10	<=>	30.30	<b>30</b>	<b>0.20</b>		
			<b>10GX..</b>			28.60	<=>	28.80	<b>26</b>	<b>2.70</b>		
1SN		3/4" - DN20	<b>12G1/-H</b>	105bar-80l/min	<b>12G..</b>	34.05	<=>	34.55	<b>34</b>	<b>0.30</b>		
							<b>12GA..</b>	35.15	<=>	35.65	<b>34</b>	<b>1.40</b>
2SC				<b>12M3K /-MTF</b>	225bar-100l/min	<b>12G..</b>	34.00	<=>	34.20	<b>34</b>	<b>0.10</b>	
							<b>12GA..</b>	34.00	<=>	34.20	<b>34</b>	<b>0.10</b>
>2SC				<b>12M4K /-MTF</b>	280bar-100l/min	<b>12G..</b>	35.20	<=>	35.70	<b>34</b>	<b>1.45</b>	
			<b>12GA..</b>			34.10	<=>	34.30	<b>34</b>	<b>0.20</b>		
			<b>12GX..</b>			32.60	<=>	32.80	<b>30</b>	<b>2.70</b>		
1SN	1" - DN25		<b>16G1/-H</b>	88bar-150l/min	<b>16G..</b>	44.45	<=>	44.95	<b>39</b>	<b>5.70</b>		
							<b>16GA..</b>	45.45	<=>	45.95	<b>45</b>	<b>0.70</b>
>2SC				<b>16M3K /-MTF</b>	225bar-160l/min	<b>16G..</b>	41.30	<=>	41.50	<b>39</b>	<b>2.40</b>	
						<b>16GA..</b>	41.30	<=>	41.50	<b>39</b>	<b>2.40</b>	
						<b>16GX..</b>	42.00	<=>	42.20	<b>39</b>	<b>3.10</b>	
1SN		1-1/4" - DN32	<b>20G1/-H</b>	64bar-250l/min	<b>20G..</b>	51.85	<=>	52.35	<b>52</b>	<b>0.10</b>		
							<b>20GA..</b>	49.30	<=>	49.50	<b>45</b>	<b>4.40</b>
2SN				<b>20G2</b>	125bar-260l/min	<b>20G..</b>	53.75	<=>	54.25	<b>52</b>	<b>2.00</b>	
							<b>20GA..</b>	49.70	<=>	49.90	<b>45</b>	<b>4.80</b>
1SN			1-1/2" - DN40	<b>24G1/-H</b>	50bar-330l/min	<b>24GSP1F-2</b>	58.15	<=>	58.65	<b>57</b>	<b>1.40</b>	
								<b>24GA..</b>	55.60	<=>	55.80	<b>52</b>
>2SC					<b>24G2</b>	90bar-360l/min	<b>24GSP1F-2</b>	59.80	<=>	60.30	<b>57</b>	<b>3.05</b>
				<b>24GA..</b>			57.20	<=>	57.40	<b>57</b>	<b>0.30</b>	

Pressmasstabelle für SM50EC50E Table de sertissage pour SM50EC50E		Pressarmatur Typ: Raccord à sertir type: G/GA/GB/GC/GE/GF/GH/GX/GS/GSP					Satz Nr. Jeu nr.	10/13/16/19/22 26/30/34/39/45 52/57/64/69	
Schlauch Tuyau	Dimension								
<b>Megaspiral - Hochdruckschläuche / Tuyau haute pression - DIN 4SP/SH - SAE100 R12/13/15</b>									
R15	3/8" - DN10	<b>06EFG6K /-MTF</b>	420bar-27l/min	<b>06GS1F</b>	24.65	<->	25.15	<b>22</b>	<b>2.90</b>
R12	1/2" - DN12	<b>08EFG4K</b>	280bar-46l/min	<b>08GS1F</b>	27.20	<->	27.70	<b>26</b>	<b>1.45</b>
R13		<b>08EFG5K</b>	350bar-46l/min						
4SP/R15		<b>08EFG6K /-MTF</b>	420bar-46l/min						
R12	5/8" - DN16	<b>10EFG4K</b>	280bar-70l/min	<b>10GS1F</b>	33.30	<->	33.80	<b>30</b>	<b>3.55</b>
4SP/R13		<b>10EFG5K</b>	350bar-70l/min						
R15		<b>10EFG6K /-MTF</b>	420bar-70l/min						
R12	3/4" - DN20	<b>12EFG4K</b>	280bar-100l/min	<b>12GS1F</b>	37.35	<->	37.85	<b>34</b>	<b>3.60</b>
4SP/R13		<b>12EFG5K</b>	350bar-100l/min						
4SH/R15		<b>12EFG6K /-MTF</b>	420bar-100l/min						
4SP/R12	1" - DN25	<b>16EFG4K</b>	280bar-180l/min	<b>16GS1F</b>	44.20	<->	44.70	<b>39</b>	<b>5.45</b>
R13		<b>16EFG5K</b>	350bar-180l/min						
>4SH/R15		<b>16EFG6K /-MTF</b>	420bar-180l/min						
4SP/R12	1-1/4" - DN32	<b>20EFG3K</b>	210bar-290l/min	<b>20GS1F-4</b>	52.05	<->	52.55	<b>52</b>	<b>0.30</b>
4SH/R13		<b>20EFG4K</b>	280bar-290l/min	<b>20GS1F-4</b>	51.80	<->	52.30	<b>52</b>	<b>0.05</b>
R15		<b>20EFG5K</b>	350bar-290l/min	<b>20GS1F-6</b>	56.40	<->	56.90	<b>52</b>	<b>4.65</b>
4SP/>R12		<b>20EFG6K /-MTF</b>	420bar-290l/min	<b>24GSP1F-4</b>	61.75	<->	62.25	<b>57</b>	<b>5.00</b>
>4SH/R13	1-1/2" - DN40	<b>24EFG5K /-MTF</b>	350bar-410l/min	<b>24GSH../GSM..</b>	63.50	<->	64.00	<b>57</b>	<b>6.75</b>
R15		<b>24EFG6K /-MTF</b>	420 bar-410l/min	<b>24GSH../GSM..</b>	63.50	<->	64.00	<b>57</b>	<b>6.75</b>
4SP/>R12	2" - DN50	<b>32EFG3K</b>	210bar-730l/min	<b>32GSP1F-4</b>	74.30	<->	74.80	<b>69</b>	<b>5.55</b>
<b>Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau</b>									
HW	5/16" - DN8	<b>05HW-EF365</b>	250bar-18l/min	<b>05GF..</b>	18.30	<->	18.50	<b>16</b>	<b>2.40</b>
"easyfarm 365+"	3/8" - DN10	<b>06HW-EF365</b>	275bar-27l/min	<b>06GF..</b>	19.90	<->	20.10	<b>19</b>	<b>1.00</b>
	1/2" - DN12	<b>08HW-EF365</b>	180bar-46l/min	<b>08GA..</b>	22.90	<->	23.10	<b>22</b>	<b>1.00</b>
<b>GATES Clean Master - Wasser-Hochdruckschläuche / Tuyau haute pression pour l'eau</b>									
Wasser eau	1/4" - DN6	<b>04CM4000..</b>	280bar-11l/min	<b>04G..</b>	17.80	<->	18.00	<b>16</b>	<b>1.90</b>
				<b>04GA..</b>	16.20	<->	16.40	<b>16</b>	<b>0.30</b>
	1/4" - DN6	<b>04CM6000..</b>	400bar-11l/min	<b>04G..</b>	18.70	<->	18.90	<b>16</b>	<b>2.80</b>
				<b>04GA..</b>	18.90	<->	19.10	<b>19</b>	<b>0.00</b>
	5/16" - DN8	<b>05CM6000..</b>	420bar-18l/min	<b>05G..</b>	20.40	<->	20.60	<b>19</b>	<b>1.50</b>
				<b>05GA..</b>	18.90	<->	19.10	<b>19</b>	<b>0.00</b>
3/8" - DN10	<b>06CM6000..</b>	420bar-27l/min	<b>06G..</b>	22.50	<->	22.70	<b>22</b>	<b>0.60</b>	
			<b>06GA..</b>	20.90	<->	21.10	<b>19</b>	<b>2.00</b>	
1/2" - DN12	<b>08CM3000..</b>	210bar-46l/min	<b>08G..</b>	25.00	<->	25.20	<b>22</b>	<b>3.10</b>	
			<b>08GA..</b>	23.70	<->	23.90	<b>22</b>	<b>1.80</b>	
<b>GATES Multi Master Mega Flex Ansaug-, Rücklauf- und Mehrzweckschläuche / Tuyau d'aspiration, retour et usage multiple</b>									
R4	5/8" - DN16	<b>IVG 2000-10</b>	18bar-16l/min	<b>10G..</b>	31.80	<->	32.30	<b>30</b>	<b>2.05</b>
	3/4" - DN20		24bar-22l/min	<b>12G..</b>	36.90	<->	37.40	<b>34</b>	<b>3.15</b>
	1" - DN25		21bar-40l/min	<b>16G..</b>	43.75	<->	44.25	<b>39</b>	<b>5.00</b>
R4H	1-1/4" - DN32		17bar-62l/min	<b>20G..</b>	50.75	<->	51.25	<b>45</b>	<b>6.00</b>
	1-1/2" - DN40		10bar-90l/min	<b>24GSP1F-2</b>	56.80	<->	57.30	<b>52</b>	<b>5.05</b>
	2" - DN50		10bar-155l/min	<b>32GSP1F-2</b>	70.40	<->	70.90	<b>69</b>	<b>1.65</b>
<b>Megaflex Kompakt - M2T-MTF-Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier</b>									
>2SC(SN)	1/4" - DN6	<b>04M2T /-MTF</b>	420bar-11l/min	<b>04G..</b>	17.90	<->	18.40	<b>16</b>	<b>2.15</b>
2SC(SN)	5/16" - DN8	<b>05M2T /-MTF</b>	380bar-18l/min	<b>05G..</b>	19.95	<->	20.45	<b>19</b>	<b>1.20</b>
>2SC(SN)	3/8" - DN10	<b>06M2T /-MTF</b>	350bar-27l/min	<b>06G..</b>	21.60	<->	22.10	<b>19</b>	<b>2.85</b>
>2SC(SN)	1/2" - DN12	<b>08M2T /-MTF</b>	300bar-46l/min	<b>08G..</b>	26.05	<->	26.55	<b>26</b>	<b>0.30</b>
>2SC(SN)	5/8" - DN16	<b>10M2T /-MTF</b>	260bar-70l/min	<b>10G..</b>	28.35	<->	28.85	<b>26</b>	<b>2.60</b>
2SC(SN)	3/4" - DN20	<b>12M2T /-MTF</b>	240bar-100l/min	<b>12G..</b>	34.55	<->	35.05	<b>34</b>	<b>0.80</b>
>2SC(SN)	1" - DN25	<b>16M2T /-MTF</b>	170bar-160l/min	<b>16G..</b>	43.20	<->	43.70	<b>39</b>	<b>4.45</b>
<b>Megaflex Kompakt - Zwilling-Hochdruckschläuche 2-lagig stahl / Tuyau haute pression jumelée 2-tresse en acier</b>									
>2SC(SN)	3/8" - DN10	<b>06CM2TDL-XTF</b>	330bar-27l/min	<b>06G..</b>	21.70	<->	22.00	<b>19</b>	<b>2.85</b>
	1/2" - DN12	<b>08CM2TDL-XTF</b>	275bar-46l/min	<b>08G..</b>	26.15	<->	26.45	<b>26</b>	<b>0.30</b>

**Pressmasstabelle für SM50EC50E**  
**Table de sertissage pour SM50EC50E**

Pressarmatur Typ:  
 Raccord à sertir type:  
 G/GA/GB/GC/GE/GF/GH/GX/GS/GSP

Satz Nr.  
 Jeu nr.

10/13/16/19/22  
 26/30/34/39/45  
 52/57/64/69

Schlauch  
 Tuyau Dimension



**Megaflex LIGTH2 - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresses en acier**

>2SC(SN)	1/4" - DN6	<b>04MXT /-XTP</b>	420bar-11l/min	<b>04G..</b>	17.90	<=>	18.40	<b>16</b>	<b>2.15</b>
2SC(SN)	5/16" - DN8	<b>05MXT /-XTP</b>	390bar-18l/min	<b>05G..</b>	19.95	<=>	20.45	<b>19</b>	<b>1.20</b>
>2SC(SN)	3/8" - DN10	<b>06MXT /-XTP</b>	340bar-27l/min	<b>06G..</b>	20.95	<=>	21.45	<b>19</b>	<b>2.20</b>
>2SC(SN)	1/2" - DN12	<b>08MXT /-XTP</b>	280bar-46l/min	<b>08G..</b>	24.90	<=>	25.40	<b>22</b>	<b>3.15</b>
>2SC(SN)	5/8" - DN16	<b>10MXT /-XTP</b>	260bar-70l/min	<b>10G..</b>	28.55	<=>	29.05	<b>26</b>	<b>2.80</b>
2SC(SN)	3/4" - DN20	<b>12MXT /-XTP</b>	220bar-100l/min	<b>12G..</b>	34.05	<=>	34.55	<b>34</b>	<b>0.30</b>
>2SC(SN)	1" - DN25	<b>16MXT /-XTP</b>	170bar-160l/min	<b>16G..</b>	43.55	<=>	44.05	<b>39</b>	<b>3.80</b>

**Megaflex HiTemp - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute temp. à 2-tresses en acier ( - 40°C - +150°C )**

2SC-HT	1/4" - DN6	<b>04G2XH</b>	420bar-11l/min	<b>04G..</b>	18.55	<=>	19.05	<b>16</b>	<b>2.80</b>
	3/8" - DN10	<b>06G2XH</b>	350bar-27l/min	<b>06G..</b>	22.35	<=>	22.85	<b>19</b>	<b>3.60</b>
	1/2" - DN12	<b>08G2XH</b>	290bar-46l/min	<b>08G..</b>	26.40	<=>	26.90	<b>22</b>	<b>4.65</b>
	5/8" - DN16	<b>10G2XH</b>	250bar-70l/min	<b>10G..</b>	29.45	<=>	29.95	<b>26</b>	<b>3.70</b>
	3/4" - DN20	<b>12G2XH</b>	215bar-100l/min	<b>12G..</b>	35.20	<=>	35.70	<b>34</b>	<b>1.45</b>

**Forrer-ECOLine Kompakt - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier**

2SC	1/4" - DN6	<b>04F2</b>	400bar-11l/min	<b>04G..</b>	18.90	<=>	19.10	<b>16</b>	<b>3.00</b>
				<b>04GF..</b>	16.10	<=>	16.30	<b>16</b>	<b>0.20</b>
2SC	5/16" - DN8	<b>05F2</b>	350bar-18l/min	<b>05G..</b>	21.10	<=>	21.30	<b>19</b>	<b>2.20</b>
				<b>05GF..</b>	18.00	<=>	18.20	<b>16</b>	<b>2.10</b>
2SC	3/8" - DN10	<b>06F2</b>	330bar-27l/min	<b>06G..</b>	22.10	<=>	22.30	<b>22</b>	<b>0.20</b>
				<b>06GF..</b>	20.00	<=>	20.20	<b>19</b>	<b>1.10</b>
2SC	1/2" - DN12	<b>08F2</b>	275bar-46l/min	<b>08G..</b>	26.50	<=>	26.70	<b>26</b>	<b>0.60</b>
				<b>08GF..</b>	23.90	<=>	24.10	<b>22</b>	<b>2.00</b>
2SC	5/8" - DN16	<b>10F2</b>	250bar-70l/min	<b>10G..</b>	29.30	<=>	29.50	<b>26</b>	<b>3.40</b>
				<b>10GF..</b>	27.3	<=>	27.50	<b>26</b>	<b>1.40</b>

**GATES Hochflexible Pilot- & Steuerdruckschläuche stahlarmiert / Tuyau pour pression de pilotage et de commande, tresse en acier**

pil	3/16" - DN5	<b>P1T03</b>	120bar-5L/min	<b>03GC..</b>	11.30	<=>	11.50	<b>10</b>	<b>1.40</b>
				<b>03GK..</b>	11.40	<=>	11.60	<b>10</b>	<b>1.50</b>
	1/4" - DN6	<b>P1T04</b>	120bar-11L/min	<b>04GC..</b>	14.00	<=>	14.20	<b>13</b>	<b>1.10</b>
				<b>04GK..</b>	13.60	<=>	13.80	<b>13</b>	<b>0.70</b>
	5/16" - DN8	<b>P1T05</b>	120bar-18L/min	<b>05GC..</b>	16.50	<=>	16.70	<b>16</b>	<b>0.60</b>
	3/8" - DN10	<b>P1T06</b>	120bar-27L/min	<b>06GC..</b>	17.7	<=>	17.9	<b>16</b>	<b>1.80</b>

**Minimes-Hochdruckschlauch / Tuyau haute pression Minimes**

	1/8" - DN2	<b>MS-HD630</b>	630bar-2l/min	<b>IN02</b>	7.2	<=>	7.4	<b>6</b>	<b>1.30</b>
--	------------	-----------------	---------------	-------------	-----	-----	-----	----------	-------------

**Kunststoff-Hochdruckschläuche N => Nylon / Tuyau haute pression en plastique avec 1-tresse Nylon**

R7-N	3/16" - DN5	<b>TFR7N03 - 0661</b>	212bar-5l/min	<b>03GC..</b>	10.80	<=>	11.00	<b>10</b>	<b>0.90</b>
				<b>04G..</b>	17.25	<=>	17.75	<b>16</b>	<b>1.50</b>
	1/4" - DN6	<b>TFR7N04 - 0662</b>	200bar-11l/min	<b>04GC..</b>	13.9	<=>	14.1	<b>13</b>	<b>1.00</b>

**Kunststoff-Hochdruckschläuche T =>stahlarmiert einlagig / Tuyau haute pression en plastique avec 1-tresse en acier**

R7-T	3/16" - DN5	<b>TFR7T03 - 0871</b>	360bar-5l/min	<b>03GD..</b>	11.80	<=>	12.00	<b>10</b>	<b>1.90</b>
				<b>04G..</b>	17.25	<=>	17.75	<b>16</b>	<b>1.50</b>
	1/4" - DN6	<b>TFR7T04 - 0872</b>	310bar-11l/min	<b>04GC..</b>	13.90	<=>	14.10	<b>13</b>	<b>1.00</b>
				<b>05G..</b>	19.80	<=>	20.30	<b>19</b>	<b>1.05</b>
				<b>05GB..</b>	16.30	<=>	16.50	<b>16</b>	<b>0.40</b>
	5/16" - DN8	<b>TFR7T05 - 0873</b>	250bar-18l/min	<b>05GD..</b>	17.80	<=>	18.00	<b>16</b>	<b>1.90</b>
				<b>06G..</b>	20.75	<=>	21.25	<b>19</b>	<b>2.00</b>
	3/8" - DN10	<b>TFR7T06 - 0874</b>	225bar-27l/min	<b>06GD..</b>	18.70	<=>	18.90	<b>16</b>	<b>2.80</b>
				<b>08G..</b>	24.60	<=>	24.80	<b>22</b>	<b>2.70</b>
	1/2" - DN12	<b>TFR7T08 - 0875</b>	190bar-46l/min	<b>08GC..</b>	22.30	<=>	22.50	<b>22</b>	<b>0.40</b>

**Kunststoff-Hochdruckschläuche 10T =>stahlarmiert zweilagig / Tuyau haute pression 2-tresse en acier**

R10	1/4" - DN6	<b>TFR10T04 - 0852</b>	400bar-11l/min	<b>04G..</b>	18.35	<=>	18.85	<b>16</b>	<b>2.60</b>
				<b>04GA..</b>	16.30	<=>	16.50	<b>16</b>	<b>0.40</b>
	5/16" - DN8	<b>TFR10T05 - 0853</b>	400bar 18l/min	<b>05GE..</b>	18.80	<=>	19.00	<b>16</b>	<b>2.90</b>
				<b>06G..</b>	21.50	<=>	22.00	<b>19</b>	<b>2.75</b>
	3/8" - DN10	<b>TFR10T06 - 0854</b>	330bar 27l/min	<b>06GE..</b>	20.20	<=>	20.40	<b>19</b>	<b>1.30</b>
				<b>08G..</b>	25.40	<=>	25.60	<b>22</b>	<b>3.50</b>
	1/2" - DN12	<b>TFR10T08 - 0855</b>	260bar - 46l/min	<b>08GE..</b>	24.5	<=>	24.7	<b>22</b>	<b>2.60</b>

**Pressmasstabelle für SM50EC50E**  
**Table de sertissage pour SM50EC50E**
**Pressarmatur Typ:**  
**Raccord à sertir type:**  
**G/GA/GB/GC/GE/GF/GH/GX/GS/GSP**
**Satz Nr.**  
**Jeu nr.**

10/13/16/19/22  
26/30/34/39/45  
52/57/64/69

Schlauch  
Tuyau      Dimension

**Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression**

	1/4" - DN6	<b>GP8004</b>	37bar-6l/min	<b>04G..</b>	17.85	<->	18.35	<b>16</b>	<b>2.10</b>
	5/16" - DN8	<b>GP8005</b>	37bar-11l/min	<b>05G..</b>	20.45	<->	20.95	<b>19</b>	<b>1.70</b>
	3/8" - DN10	<b>GP8006</b>	37bar-18l/min	<b>06G..</b>	21.85	<->	22.35	<b>22</b>	<b>0.10</b>
	1/2" - DN12	<b>GP8008</b>	37bar-29l/min	<b>08G..</b>	26.35	<->	26.85	<b>26</b>	<b>0.60</b>
	5/8" - DN16	<b>GP8010</b>	30bar-48l/min	<b>10G..</b>	29.75	<->	30.25	<b>26</b>	<b>4.00</b>
	3/4" - DN20	<b>GP8012</b>	30bar-68l/min	<b>12G..</b>	35.85	<->	36.35	<b>34</b>	<b>2.10</b>
	1" - DN25	<b>GP8016</b>	30bar-125l/min	<b>16G..</b>	45.65	<->	46.15	<b>45</b>	<b>0.90</b>
	1-1/4" - DN32	<b>GP8020</b>	30bar-190l/min	<b>20G..</b>	53.45	<->	53.95	<b>52</b>	<b>1.70</b>
	1-1/2" - DN40	<b>GP8024</b>	30bar-280l/min	<b>24GSP1F-2</b>	57.25	<->	57.75	<b>57</b>	<b>0.40</b>
	2" - DN50	<b>GP8032</b>	30bar-450l/min	<b>32GSP1F-2</b>	70.20	<->	70.70	<b>69</b>	<b>1.60</b>

**Mehrzweck- Niederdruckschläuche / Tuyau à usage multiple pour basse pression ( - 40°C - +150°C )**

ACR	1/4" - DN6	<b>04Megatech1000</b>	70bar-6l/min	<b>04G..</b>	17.55	<->	18.05	<b>16</b>	<b>1.80</b>
	3/8" - DN10	<b>06Megatech1000</b>	70bar-18l/min	<b>06G..</b>	20.35	<->	20.85	<b>19</b>	<b>1.60</b>
	1/2" - DN12	<b>08Megatech1000</b>	70bar-29l/min	<b>08G..</b>	25.65	<->	26.15	<b>22</b>	<b>3.90</b>
	5/8" - DN16	<b>10Megatech1000</b>	70bar-48l/min	<b>10G..</b>	29.20	<->	29.70	<b>26</b>	<b>3.45</b>
	3/4" - DN20	<b>12Megatech1000</b>	70bar-68l/min	<b>12G..</b>	34.80	<->	35.30	<b>34</b>	<b>1.05</b>
	1" - DN25	<b>16Megatech1000</b>	70bar-125l/min	<b>16G..</b>	42.95	<->	43.45	<b>39</b>	<b>4.20</b>
	1-1/4" - DN32	<b>20Megatech1000</b>	70bar-190l/min	<b>20G..</b>	51.05	<->	51.55	<b>45</b>	<b>6.30</b>
	1-1/2" - DN40	<b>24Megatech500</b>	35bar-280l/min	<b>24GSP1F-2</b>	57.15	<->	57.65	<b>57</b>	<b>0.40</b>

**ProLine - Hochdruckschläuche 1-lagig stahlarmiert / Tuyau haute pression 1-tresse en acier**

1SC	1/4" - DN6	<b>04PRO1T</b>	225bar-11l/min	<b>04EX..</b>	17.05	<->	17.35	<b>16</b>	<b>1.20</b>
	5/16" - DN8	<b>05PRO1T</b>	215bar-18l/min	<b>05EX..</b>	17.80	<->	18.10	<b>16</b>	<b>1.95</b>
	3/8" - DN10	<b>06PRO1T</b>	180bar-27l/min	<b>06EX..</b>	19.65	<->	19.95	<b>19</b>	<b>0.80</b>
	1/2" - DN12	<b>08PRO1T</b>	160bar-46l/min	<b>08EX..</b>	22.90	<->	23.20	<b>22</b>	<b>1.05</b>
	5/8" - DN16	<b>10PRO1T</b>	130bar-60l/min	<b>10EX..</b>	26.15	<->	26.45	<b>26</b>	<b>0.30</b>
	3/4" - DN20	<b>12PRO1T</b>	105bar-80l/min	<b>12EX..</b>	29.95	<->	30.25	<b>30</b>	<b>0.10</b>
	1" - DN25	<b>16PRO1T</b>	88bar-140l/min	<b>16EX..</b>	37.65	<->	37.95	<b>34</b>	<b>3.80</b>

**ProLine - Hochdruckschläuche 2-lagig stahlarmiert / Tuyau haute pression 2-tresse en acier**

2SC	1/4" - DN6	<b>04PRO2T</b>	400bar-11l/min	<b>04EX..</b>	17.55	<->	17.85	<b>16</b>	<b>1.70</b>
				<b>04G..</b>	18.70	<->	19.00	<b>16</b>	<b>2.80</b>
	5/16" - DN8	<b>05PRO2T</b>	350bar-18l/min	<b>05EX..</b>	18.90	<->	19.20	<b>19</b>	<b>0.05</b>
				<b>05G..</b>	20.40	<->	20.70	<b>19</b>	<b>1.50</b>
	3/8" - DN10	<b>06PRO2T</b>	330bar-27l/min	<b>06EX..</b>	20.45	<->	20.75	<b>19</b>	<b>1.60</b>
				<b>06G..</b>	22.20	<->	22.50	<b>22</b>	<b>0.30</b>
	1/2" - DN12	<b>08PRO2T</b>	275bar-46l/min	<b>08EX..</b>	24.00	<->	24.30	<b>22</b>	<b>2.15</b>
				<b>08G..</b>	26.00	<->	26.30	<b>26</b>	<b>0.10</b>
	5/8" - DN16	<b>10PRO2T</b>	250bar-70l/min	<b>10EX..</b>	27.65	<->	27.95	<b>26</b>	<b>1.80</b>
				<b>10G..</b>	28.90	<->	29.20	<b>26</b>	<b>3.00</b>
	3/4" - DN20	<b>12PRO2T</b>	215bar-100l/min	<b>12EX..</b>	31.15	<->	31.45	<b>30</b>	<b>1.30</b>
				<b>12G..</b>	35.00	<->	35.30	<b>34</b>	<b>1.10</b>
	1" - DN25	<b>16PRO2T</b>	165bar-160l/min	<b>16EX..</b>	38.95	<->	39.25	<b>39</b>	<b>0.10</b>
				<b>16G..</b>	43.50	<->	43.80	<b>39</b>	<b>4.65</b>